

CORRECTION

Open Access



Correction: Subtyping preserved ratio impaired spirometry (PRISm) by using quantitative HRCT imaging characteristics

Jinjuan Lu^{1†}, Haiyan Ge^{2†}, Lin Qi^{1*}, Shaojie Zhang¹, Yuling Yang¹, Xuemei Huang¹ and Ming Li^{1*}

Correction: *Respiratory Research* (2022) 23:309

<https://doi.org/10.1186/s12931-022-02113-7>

Following publication of the original article [1], the authors would like to update the funding section.

It has been updated in this correction.

The updated Funding section should read as below:

Funding

This study was supported by the National Natural Science Foundation of China (61976238); Shanghai Municipal Science and Technology Commission (21Y11910500); Shanghai Municipal Health Commission (20204Y0299); Medical Imaging Key Program of Wise Information Technology of 120, Health Commission of Shanghai 2018ZHYL0103 (ML), “Future Star” of famous doctors’ training plan of Fudan University. This study was also supported by the Shanghai Municipal Science and Technology Commission (20Y11902900).

The original article has been corrected.

Reference

1. Lu J, Ge H, Qi L, Zhang S, Yang Y, Huang X, Li M. Subtyping preserved ratio impaired spirometry (PRISm) by using quantitative HRCT imaging characteristics. *Respir Res.* 2022;23:309. <https://doi.org/10.1186/s12931-022-02113-7>.

Publisher’s Note

Springer Nature remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.

Published online: 25 January 2023

[†]Jinjuan Lu and Haiyan Ge contributed equally to this work

The original article can be found online at <https://doi.org/10.1186/s12931-022-02113-7>.

*Correspondence:

Lin Qi

qjlin86521@163.com

Ming Li

minli77@163.com

¹ Department of Radiology, Huadong Hospital Affiliated to Fudan University, 221 West Yanan Road, Jingan District, Shanghai 200040, China

² Department of Respiratory Medicine, Huadong Hospital Affiliated to Fudan University, Shanghai, China

