

ERRATUM Open Access

Erratum to: Thoracic ultrasound for the diagnosis of pneumonia in adults: a meta-analysis

Thomas Berlet

Erratum

After publication of the original article [1], it came to the publisher's attention that figure 2, associated with the Authors Response, had been accidently omitted. The original article has been corrected to include this figure. A citation to the figure has been inserted in the following sentence, "...our revised estimates yielded an overall sensitivity of 92 % (95 % CI 90 %-94 %) and specificity of 92 % (95 % CI 90 %-94 %; Fig. 2)..."

Received: 6 August 2015 Accepted: 6 August 2015 Published online: 08 September 2015

Reference

 Berlet T. Thoracic ultrasound for the diagnosis of pneumonia in adults: a meta-analysis. Respir Res. 2015;16:89.

Submit your next manuscript to BioMed Central and take full advantage of:

- Convenient online submission
- Thorough peer review
- No space constraints or color figure charges
- Immediate publication on acceptance
- Inclusion in PubMed, CAS, Scopus and Google Scholar
- Research which is freely available for redistribution

Submit your manuscript at www.biomedcentral.com/submit



Correspondence: thomas.berlet@hospital-lingen.de
The online version of the original article can be found under
doi:10.1186/s12931-015-0248-9.
Inselspital/Bern University Hospital, Department of Intensive Care Medicine,
Bern 3010, Switzerland

